MISSISSIPPI STATE DEPARTMENT OF HEALTH<sup>2014</sup> July -2 Mg 9: 03
BUREAU OF PUBLIC WATER SUPPLY
CCR CERTIFICATION
CALENDAR YEAR 2013

The Federal Safe Drinking Water Act (SDWA) requires each Community public water system to develop and distribute a Consumer Confidence Report (CCR) to its customers each year. Depending on the population served by the public water system, this CCR must be mailed or delivered to the customers, published in a newspaper of local circulation, or provided to the customers upon request. Make sure you follow the proper procedures when distributing the CCR. You must mail, fax or email a copy of the CCR and Certification to MSDH. Please check all boxes that apply.


Customers were informed of availability of CCR by: (Attach copy of publication, water bill or other) Advertisement in local paper (attach copy of advertisement) On water bills (attach copy of bill)
Email message (MUST Email the message to the address below) Other Date(s) customers were informed: \_ / / , / / CCR was distributed by U.S. Postal Service or other direct delivery. Must specify other direct delivery methods used Date Mailed/Distributed: / / CCR was distributed by Email (MUST Email MSDH a copy) As a URL (Provide URL As an attachment As text within the body of the email message CCR was published in local newspaper. (Attach copy of published CCR or proof of publication) Name of Newspaper: Date Published: / CCR was posted in public places. (Attach list of locations) Date Posted: CCR was posted on a publicly accessible internet site at the following address (DIRECT URL REQUIRED): www. beat3 gc water. Com CERTIFICATION I hereby certify that the 2013 Consumer Confidence Report (CCR) has been distributed to the customers of this public water system in the form and manner identified above and that I used distribution methods allowed by the SDWA. I further certify that the information included in this CCR is true and correct and is consistent with the water quality monitoring data provided to the public water system officials by the Mississippi State Department of Health, Bureau of Public Water Supply. 5-29-2014 Date May be faxed to: (601)576-7800

Deliver or send via U.S. Postal Service: Bureau of Public Water Supply P.O. Box 1700 Jackson, MS 39215

May be emailed to: Melanie. Yanklowski@msdh.state.ms.us

## 2013 Annual Drinking Water Quality Report Beat III Greene County Water System, Inc. PWS#: 0210001 & 0210011

May 2014



We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is from wells drawing from the Catahoula Formation Aquifer.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identify potential sources of contamination. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the Beat III Greene County Water System, Inc. have received a lower to moderate susceptibility ranking to contamination.

If you have any questions about this report or concerning your water utility, please contact Douglas H. Walley at 601-989-2850. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the first Thursday of each month at 7:00 PM at the water office Sand Hill.

We routinely monitor for constituents in your drinking water according to Federal and State laws. This table below lists all of the drinking water contaminants that were detected during the period of January 1st to December 31st, 2013. In cases where monitoring wasn't required in 2013 the table reflects the most recent results. As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in some cases, radioactive materials and can pick up substances or contaminants from the presence of animals or from human activity; microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm-water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations and septic systems; radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily indicate that the water poses a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The "Goal"(MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) - The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary to control microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) – The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000

			or - one part	per billion correspon	us to or	e minuk	2 III Z	,uuu y	rears, or	a single penny in \$10,000,000.		
PWS ID#	: 02100	01		TEST-RES	ULT	S						
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # Unit of Samples Exceeding Measure-MCL/ACL ment		MC	LG	MCL	Likely Source of Contamination			
Inorganic	Conta	minants										
10. Barium	N	2011*	.022	No Range	pp	n		2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits		
16. Fluoride	N	2011*	1.52	No Range	pp	pm 4		4		Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories		
17. Lead	N	2011*	1	0	рр	ppb		0 AL=1 5		Corrosion of household plumbing systems, erosion of natural deposits		
Disinfecti	on By-F	roducts	1							3		
Chlorine	N	2013	.70	.70 – .80	mg/l		0 MD		RL = 4	Water additive used to control microbes		
PWS ID#	: 02100	11		TEST RESI	ULT	S						
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or of Samples Exceedin MCL/ACL	19 M	Unit easure- ment	sure-		MCLG		MCI	Likely Source of Contamination

Inorganic	Cont	aminants	5						
10. Barium	N	2011*	.018	.016018	ppm		2		Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
13. Chromium	N	2011*	1.47	No Range	ppb		100	1	OD Discharge from steel and pulp mills; erosion of natural deposits
14. Copper	N	2009/11*	.5	0	ppm		1.3	AL=1	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
16. Fluoride	N	2011*	1.84	1.83 – 1.84	ppm		4		4 Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	N	2009/11*	1	0	ppb		0	AL=	15 Corrosion of household plumbing systems, erosion of natural deposits
Disinfection	on By-	-Products	<b>S</b>						
81. HAA5	N	2012*	8	No Range	ppb	0		60	By-Product of drinking water disinfection.
82. TTHM [Total trihalomethanes]	N	2012*	12.01	No Range	ppb	0		80	By-product of drinking water chlorination.
Chlorine	N	2013	.7	.49	mg/l	0	MDF	₹L = 4	Water additive used to control microbes

<sup>\*</sup> Most recent sample. No sample required for 2013.

As you can see by the table, our system had no violations. We're proud that your drinking water meets or exceeds all Federal and State requirements. We have learned through our monitoring and testing that some constituents have been detected however the EPA has determined that your water IS SAFE at these levels.

We are required to monitor your drinking water for specific constituents on a monthly basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. In an effort to ensure systems complete all monitoring requirements, MSDH now notifies systems of any missing samples prior to the end of the compliance period.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our water system is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississippi State Department of Health Public Health Laboratory offers lead testing. Please contact 601.576.7582 if you wish to have your water tested.

To comply with the "Regulation Governing Fluoridation of Community Water Supplies", the BEAT III W/A #1-SAND HILL is required to report certain results pertaining to fluoridation of our water system. The number of months in the previous calendar year in which average fluoride sample results were within the optimal range of 0.7-1.3 ppm was 11. The percentage of fluoride samples collected in the previous calendar year that was within the optimal range of 0.7-1.3 ppm was 92%.

To comply with the "Regulation Governing Fluoridation of Community Water Supplies", the BEAT III W/A #3-JONATHAN is required to report certain results pertaining to fluoridation of our water system. The number of months in the previous calendar year in which average fluoride sample results were within the optimal range of 0.7-1.3 ppm was 8. The percentage of fluoride samples collected in the previous calendar year that was within the optimal range of 0.7-1.3 ppm was 67%.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline 1-800-426-4791.

The Beat III Greene County Water System, Inc. works around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

ap-				

## TOWN OF LEAKESVILLE

## 2013 Water Quality Report

is my water safe? We are pleased to present this	are by-products of industrial processes and petroleum production,	Cross Connection Control Survey	ospecially for pregn	and women	and s	ale to drir	ik, EP	A prese	ribės reg	unta-Sta	de requires us to manitor for
year's Annual Water Quality Report	and can also come from gas stations,	The purpose of this survey is to de-	young children. Le water is primarily from	n material	and t	Gons which limit the amount of con- tain contentinants less than one taminants in water provided by public year because the concentration					
Consumer Confidence Reporti as	urban stormwater runoff, and septic	termine whether a cross-connection	components associated with service w			water systems. The labin below lists these contemporary do n					
equired by the Sale Drinking Water lot (SDWA). This report is designed	systems; and radioactive contami- nants, which can be naturally occur-	may exist at your home or business.  A cross connection is an unprotected	ines and home plum	bing TOW	NOF &	at of the drinking water contaminants in ficantly from year to yes					
o provide details about where your valor comes from, what it contains.	ring or be the result of oil and case?	· or improper connection to a public	Viding high quality dri	nkino wate	r, but y	that we detected during the columber system is not considered with year of this report. Although many to this type of contamination					
valer comes from, what it contains, not how it compares to standards out	production and mining activities. In order to ensure that top water is safe	"Water distribution system that may	CONNOT CONTRO! The variety of materials				is ciana	nis wer	e tosted.	only suc	it, some of our data, though
y regulatory agencies. This report is	to drink, EPA prescribes regulations	cause contamination or pollution to onter the system. We are responsi-	used in plumbing con your water has been	roonents. i	Mhan ti	those substances fisted below were resentative, may be more:					
snapshot of last year's water qual- y. We are committed to providing	that limit the amount of certain con-	bia for enforcing cross-connection	oral hours, you can n	ninkalza Ih	e no- d	found in your water. All sources of year old. In this table you drinking water contain some naturally terms and abbreviations					
ou with information because in-	taminants in water provided by public water systems. Food and thrun Ad-	control regulations and insuring that no contaminants can, under any flow	tential for fead expor- your tap for 30 secon	ture by flu	thing o	counting o	contar	minante	. At low	tev- not	be familiar to you. To help
ormed customers are our best allies.	ministration (FDA) regulations estab-	conditions, enter the distribution sys-	before using water	for drinki	iutos d	is, vioso i iol harmívi	EUDSU Linou	ances i r drivki	aneg gane so water.	ally bet Se-bau	ter understand these terms to provided the definitions t
o I need to take special	fish limits for contaminants in bottled water which must provide the same	tem. If you have eny of the dovices isted below please contact us so that	cooking. If you are o	oncemed:	about r	noving all	cont	antinar	is would	lbe the	table.
recautions?	protection for public health.	we can discuss the issue, and if	lead in your water, y have your water test	ou may wi led. Inform	shion o	extremely ases, wo	expended no	azive,	and in r	1051 end for	r more information please co
Some people may be more vulner- ble to contaminants in drinking	New can Lead in value 40	needed, survey your connection and	on lead in drinking	water, to	sting (	rotection e	of pub	ac heal	Ih. Afow	net- tec	f:
ater than the general population	How can I get involved? The Your of Lookesville's Mayor	assist you in isolating it if that is nec- essary.	methods, and steps minimize exposure it	you can ta	ke to u	наку осси	uring	minore	is may a	ctu- Co	ntact Name: JEFF BYRD
nmuno-compromised persons such	and Board of Aldormen most the first	<ul> <li>Boller/ Radiant heater (water</li> </ul>	the Safe Drinking Wa			rater and	have have	e taste nufritio	naivajo Nevien	KUNG ACK	dress: 301-A LAFAYETTE A' AKESVILLE, MS 39451
s persons with cancer undergoing hemotherapy, persons who have	Tuesday of each month at 2:00 P.M. and our stall can be reached week	heaters not included)	http://www.opa.gov/s	alowaterito	iaď. k	ow levels	Unite:	ss ofne	rwise no	ted, Phy	one: 601-394-2383
ndergone organ transplants, people	days of the Yown Hell from 8.00 A.M.	<ul> <li>Underground tawn sprinkler system</li> <li>Pool at hot tub (whirtpool tubs not</li> </ul>				no dala p om testin					: 601-394-2414
nth HIV/AIOS or other immune sys-	until 4:30 P.M.	included}	in order to ensure th	iat tap wa	laris y	ear of the	repo	of The	EPA or	ting €-w	dad. jellbyrd1@tds.net
em disorders, some elderly, and in- unts can be particularly at risk from	Description of Water	<ul> <li>Additional source(s) of water on the property</li> </ul>									
factions. Those people should seek	Treatment Process	Becorative cond									
Gvice about drinking water from er health care providers, EPA/Cen-	Your water is treated by fitration	Watering trough		MCLG	MCI.						1
irs for Disease Control (CDC)	and disinfection. Filtration removes particles suspended in the source		Inashtie de	07	TT, or	Your	Ra	nge	Sample		1 1
uidatinos on appropriate means to	water. Particles typically include clays	Source Water	Contaminants	MRDLG				<u>Eligh</u>	Date	Violation	Typical Source
ssen the risk of infection by Cryp- spondium and other microtxat con-	and sitts, natural organic matter, kon- and manganese, and microorgan-	Protection Tips	Disinfectants & Disi				:				
minants are available from the Safe	isms. Your water is also treated by	Protection of drinking water is everyone's responsibility. You can					infect:	ent is n	reessary	for control	of microbial contaminants)
ater Drinking Holline (800-426- 791).	disinfection. Disinfection involves the addition of chloring or other disinfec-	help protect your community's orink.	Chlorine (as Cl2)								Water additive used to con
· • 1).	tents to kill bacteria and other mi-	ing water source in several ways:	ppin)	4	4	1.8	0,9	2.19	2013	No	nucrohes
here does my ater come from?	croorganisms (viruses, cysts, etc.)	· Eliminate excess use of tawn and	norganic Contamin	ants		<del>12-00-00-0</del>		4	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
The Yown of Leakesville draws its	that may be in the water. Disinfection is considered to be one of the maker	garden fertilizers and posticides - they contain hazardous chemicals	***************************************		1		T T	*******			Runoff from fertilizer use:
ater from 5 Deep Wells in the	public health advances of the 20th	that can reach your drinking water	Nitrate (measured as	10	10	0.22	0.17	6 22	2013		Leaching from septic tanks
llocano Series Aquifer.	century.	source.	Vitrogen] (ppm)	10	10	4.22	0.17	0.22	2013	No	sewage: Erosion of natural
ource water assessment	Water Conservation Tips	<ul> <li>Pick up after your pels.</li> <li>If you have your own septic sys-</li> </ul>	L				1				deposits
no its availability	Did you know that the average U.S.	tem, proporty maintain your system	L		1	[					Runoff from fertilizer use;
The Town of Leakesville's Source after assessment is available for re-	household uses approximately 400 galions of water per day or 100 gal-	to reduce leaching to water sources	Nitrite (measured as Nitrogen) (ppm)	1 i	1 1	0.02	0.02	0.02	2013	No	Leaching from septic tanks
ow at the Leakesville Town Half,	lons per person per day? Luckly,	or consider connecting to a public water system.	ActioRest (fabru)								sewage; Erosion of natural
	there are many low-cost and no-cost	<ul> <li>Dispose of chemicals properly;</li> </ul>			1						deposits
Hry are there ordaminants in my	ways to conserve water. Small changes can make a big difference -	lake used motor oil to a recycling center.	Unit Descriptions		3000	9285 (C.S.)	27.0			<del></del>	
rinking water?	try one today and soon it will become	· Volunteer in your community. First			62- <b>4</b> -42-624-	1	*****			D.P.	3
Drinking water, including bottled alor, may reasonably be expected	second nature.	a watershed or weithead protection	Тегля ррці			Definition  ppm: parts per inition, or initigrams per liter (ing/L)					
contain at teast small amounts of	Take short showers - a 5 minute	organization in your community and younteer to help. If there are no ac-					рри	parts			
ome contaminants. The presence of	shower uses 4 to 5 gallons of water	tive groups, consider starting one	N <sub>i</sub>			NA: not applicable					
ontaminants does not necessarily dicate that water poses a health	compared to up to 50 gations for a both	Use EPA's Adopt Your Watershod to tocate groups in your community, or	Ni							); Not dete	
k More information about contam-	. Shut off water while brushing your	visit the Waterstied Information Net-	N	R.		<u> </u>	N.	R: Mor	वेशाक्र	ot required	, but teconsneuded.
ants and potential health offects	teeth, washing your hair and shaving	work's How to Start a Watershed	<u></u>								
on be obtained by calling the Envi- norantal Protection Agency's (EPA)	and save up to 500 gallons a month.  • Use a water-officient showerhead.	Team,  * Organize a storm drain stanciling	mportant Drinking	Water De	linitions	(Se. (6)3)	9	80	S. 151		
ate Drinking Water Houline (800-	They're inexpensive, easy to install,	provided with your local government or	Ter							Definition	1
(6-4791). The sources of drinking water (both	and can save you up to 750 gallons	water supptier. Stencil a message	1		····	MCLG:	Maxi	mum C	ontannin	sst Level C	iost: The level of a contamin
p water and bettled water (betn	a month, Run your clothes washer and dish-	next to the street drain reminding people 'During No Waste - Drains to	MC	LG		in drin	king	water b	clow wh	ch there is	no known or expected risk (
ers, lakes, streams, ponds, reser-	washer only when they are full. You	River or Protect Your Water. Pro-	ļ					bcalth,	MCLGs	allow for a	margin of safety.
irs, springs, and wells. As water evels over the surface of the land or	cen save up to 1,000 gallons a	duce and distribute a fiver for house- holds to remind residents that storm	М.	2		MCL: M	axim	um Cos	eanninan	Level: Th	e highest level of a contonti
ough the ground, it dissolves nat-	· Water plants only when necessary.	drains dump directly into your local	I M.	,		11121 15 313	fear?	an ann	sang wal	CF. MCLS (	are set as close to the MCLG treatment technology.
elly occurring minorals and, in mer cases, radioactive material.	<ul> <li>Fix leaky locals and laucets.</li> <li>Faucet washers are inexpensive and</li> </ul>	water body.	<b></b>			777-76	capin	nd Tax	Proc ne	romired	process intended to reduce th
id can pick up substances resulting	take only a few minutes to replace.	Floridation Report	T	Г		l ''''	-mail (	level	of a conf	sequined j	process intended to reduce () drinking water,
on the presence of animals or from	To check your toilet for a leak, place	To comply with the * Regulation		~~~~		AL	Actio				of a contaminant which, if
man activity: crobial contaminants, such as	a few drops of food coloring in the tank and wait. If it seeps into the toi-	Governing Flouridation of Commu-	Al	L		exceeded	d, trig	gers tre	afinent o	r officer real	ulrements which a water syst
uses and bacteria, that may come	lot bowl without flushing, you have a	nity Water Supplies", TOWN OF LEAKESVILLE is required to report	<u></u>							musi follos	V.
m sewage treatment plants, septic	leak. Fixing it or replacing it with a	certian results pertaining to flourida-	Variances and	Exemnio	115	Variance	s and	Exemp	tions: St	IC OF EPA	permission not to meet an &
	new, more efficient model can save up to 1,000 gallons a month.	tion of our water system. The number of months in the previous calendar	]				or	a treate	nent tech	nique unde	r certain conditions.
nmants, such as salts and metals,	· Adjust sprinklers so only your lawn	year in which overage flouride sam-				MRD	LG; N	faxim:	m residu	al disinfect	ton level east. The level of a
eich can be naturally occurring or suit from urban stormwater runoff.	is watered. Apply water only as fast	ple results were within the optimal	MKD	LG		drinking	wate	dism	ectant be	iow which	there is no known or expect
fustrial, or domostic wastewater	as the soil can absorb it and during the cooler parts of the day to reduce	range of 0.7 - 1.3 ppm was 5. The percentage of flouride samples col-	1			ri\$X					of the benefits of the use of obial contaminants.
charges, oil and gas production,	evaporation.	fected in the previous calendar year		~~		MRDI	- Mo	CHIESTON	residual	dicinforter	t level. The highest level of
ning, or farming, pesticides and roloides, which may come from a	<ul> <li>Teach your kids about water con- servation to onsure a future genera-</li> </ul>	that was within optimal range of 0.7 - 1.3 ppm was 46%.	MRI	21		disinfecta	ang all	lawed i	n drinkin	e water. The	sere is convincing evidence
fiely of sources such as sonous	bon that uses water wisely. Make it	LO PINT WAS 40%.	l MRI	JE,		add	ition	of a dis	infectant	is necessar	ly for control of microbial
6. Urban stormwater runoff, and	a family offert to reduce next month's	Additional Information								ontaminani	15.
	water bit! • Visit www.epa.gov/watersense for	for Lead if present, elevated levels of lead	MN	~~~				λ	NR: Mo	nitored No	Regulated
d votalite organic chamicals, which	more information	can cause serious health problems,	MP	L			MP	L. State	Assign	d Maximu	m Pennissible Level